


MORE POWER TO YOU

ENERGY PRICE LIST

November 2019



INDEX**Cable Accessories**

Kits for 1.1 kV Cables	01-02
Kits for 3.3 kV (E/UE) / 6.6 kV (E) Cables	03-05
Kits for 6.6 kV (UE) / 11 kV (E) Cables	06-11
Kits for 11 kV (UE) Cables	11
Kits for 22 kV Cables	12-15
Kits for 33 kV Cables	16-19

Insulation Enhancement

Tubes	20
Tapes & Sheets	21
Creepage Extender	21
Medium Voltage Line Cover (MVLC) / MVLC-HAND-TOOL	22
Boots	22

Other Products

Mechanical Connectors	23
Crimping Connectors	23
Flexible Cable Repair Sleeves	24
Outer Sheath Repair Kit	24
Cable End Caps	24
Power Line Protector	24

Screened, Seperable Elbow Connectors for Type C Bushing (ELBC) 25**Plug-In Termination (RPIT)** 25**Accessories for LV Aerial Bundled Cables (ABC)**

Insulation Piercing Connectors (IPC) for Main / Service / Street Lighting Connections	26
IPCs for MVCC Applications	26

Accessories for LV ABC with Insulated & Bare Messenger

Clamps for Insulated Messenger	27
Service Anchoring Clamp	27
Pole Line Hardware	27
Clamps for Bare Messenger	28

Pre-Insulated Connector for Aerial Bundled Cables (ABC)

Pre-Insulated Jointing Sleeve for Phase Cables / Street Light Cables / Insulated Neutral Messengers	28
Jointing Sleeve for Bare Messengers	28
Pre-Insulated Bi-Metalic Lug for End Terminals of ABC Cables	28

Distribution Boxes / Accessories

Distribution Boxes with Spring Loaded Busbar Connection	29
Anti-theft Distribution Box	29
Mounting Accessories	29

Connectors for Bare Overhead Cables

Ampact Connectors Selection Chart for the Conductors used in India	30
Universal Distribution Connectors Selection Chart (UDC)	30
Mini Wedge Connector	31
Ampact Paddle Connector	31
Bottle Palm Connector	31

Trafo Connectors 32**Surge Arrester**

Distribution Class	33
Bracket & Disconnecter	33
Indoor Arrester	33
Station Class	34
Surge Counter / Monitor	34

Insulators 34**Safety**

Arc-Suits	35
Electrical Insulation Gloves	35
Insulation Rubber Mats	36
Electrical Safety Helmets	36

Installation for Joints & Terminations 37

Kits for 1.1kV L.T. XLPE / PVC 1 To 4 Core Cables

Heat Shrink Type

Indoor / Outdoor End Terminations

Cable Size (in Sq.mm.)	Kit No.	For 1 Core Unit Rate (₹)	For 3/3.5/4 Core Unit Rate (₹)
4 - 16	EPKT 0003	-	1604
25 - 50	EPKT 0019	498	2015
70 - 150	EPKT 0035	670	2252
185 - 300	EPKT 0051	1082	2851
400	EPKT 0067	1394	3394
500 - 630	EPKT 0083	1852	3714
800	EPKT 0083-800	2124	-
1000	EPKT 0083-1000	2964	-

Straight Through Joints (Tubular Sleeve Version)

Cable Size (in Sq.mm.)	Kit No.	For 1 Core Unit Rate (₹)	For 2 Core Unit Rate (₹)	For 3/3.5/4 Core Unit Rate (₹)
1.5 - 6	EPKJ 0081	-	810	1331
10 - 16	EPKJ 0123	-	2098	2373
25 - 50	EPKJ 0130	2754	3479	4400
70 - 150	EPKJ 0137	4448	6138	6753
185 - 300	EPKJ 0144	5711	11664	12483
400	EPKJ 0151	6206	12483	13199
500	EPKJ 0158	6989	13405	15552
630	EPKJ 0158-630	7162	-	-
800	EPKJ 0158-800	7776	-	-
1000	EPKJ 0158-1000	9413	-	-

Straight Through Joints (Cold Applied Insulations & Sealing System)

Cable Size (in Sq.mm.)	Kit No.	For 3/3.5/4 Core Unit Rate (₹)
6 - 16	RLVJ-S0	1697
25 - 50	RLVJ-S1	2009
70 - 95	RLVJ-S2	2900
120 - 185	RLVJ-S3	3928
225 - 240	RLVJ-S4	4311
300	RLVJ-S5	5177
400	RLVJ-S6	7048

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for 1.1kV Control Cable Size 1-2.5 Sq.mm.**Straight Through Joints**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
4 - 7	ECKJ 0017	1954
8 - 14	ECKJ 0018	2419
15 - 21	ECKJ 0019	3940
22 - 40	ECKJ 0020	5431
41 - 75	ECKJ 0021	6297

Kits for Mining 1.1kV L.T. Cable**Straight Through Joints****(A) For 1.1 kV Unshielded Flexible Cable - 2 Core to 5 Core**

Core Size (in Sq.mm.)	No. Of Cores	Kit No.	Unit Rate (₹)
1.5 - 6	Upto 3	EMKJ 0002	8131
1.5 - 6	Upto 4 & 5	EMKJ 0004	14554
10 - 16	Upto 5	EMKJ 0017	16183
25 - 50	Upto 5	EMKJ 0027	17310
70 - 120	Upto 5	EMKJ 0037	26187

Note : Dimensional cross sectional drawing of cable is required for correct product selection

(B) For 1.1 kV Shielded Flexible Cable Unarmoured - 2 Core to 5 Core

Core Size (in Sq.mm.)	No. Of Cores	Kit No.	Unit Rate (₹)
1.5 - 6	Upto 3	EMKJ 0102	8215
1.5 - 6	Upto 4 & 5	EMKJ 0104	15023
10 - 16	Upto 5	EMKJ 0117	16045
25 - 50	Upto 5	EMKJ 0127	18249
70 - 120	Upto 5	EMKJ 0137	27180

Note : Dimensional cross sectional drawing of cable is required for correct product selection

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for 3.3 kV (E/UE) - 6.6 kV (E) Unscreened XLPE / PVC Cables**Heat Shrink Type****Single Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
35 - 95	EPKT 1402	1687
120 - 185	EPKT 1410	1839
240 - 400	EPKT 1418	2221
500 - 630	EPKT 1426	2883
800 - 1000	EPKT 1434	4014

Single Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
35 - 95	EPKT 1552	2046
120 - 185	EPKT 1560	2170
240 - 400	EPKT 1568	3021
500 - 630	EPKT 1576	3721
800 - 1000	EPKT 1584	4819

Single Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
35 - 120	EPKJ 1350	5169
150 - 300	EPKJ 1351	5857
400 - 630	EPKJ 1352	7989
800 - 1000	EPKJ 1353	10482

Three Core H.T. Cable Indoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 50	EPKT 2041	8676
70 - 120	EPKT 2051	9611
150 - 240	EPKT 2061	11377
300 - 400	EPKT 2071	12678

Three Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 50	EPKT 2292	14149
70 - 120	EPKT 2302	14739
150 - 240	EPKT 2312	15890
300 - 400	EPKT 2322	19653

Three Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 70	EPKJ 2079	10762
95 - 150	EPKJ 2080	14489
185 - 400	EPKJ 2081	22832

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for 3.3 kV (E/UE) - 6.6 kV (E) Screened XLPE / PVC Cables**Heat Shrink Type****Single Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 50	EPKT 2002	3208
70 - 120	EPKT 2010	3265
150 - 240	EPKT 2018	3499
300 - 500	EPKT 2026	4341
630 - 1000	EPKT 2034	6870

Single Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 50	EPKT 2252	4215
70 - 120	EPKT 2260	4370
150 - 240	EPKT 2268	5272
300 - 500	EPKT 2276	6358
630 - 1000	EPKT 2284	9335

Single Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 70	EPKJ 2050	7171
95 - 150	EPKJ 2051	8616
185 - 400	EPKJ 2052	9987
500 - 1000	EPKJ 2053	10371

Three Core H.T. Cable Indoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 50	EPKT 2091	10143
70 - 120	EPKT 2101	10523
150 - 240	EPKT 2111	11873
300 - 400	EPKT 2121	14638

Three Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 50	EPKT 2342	14197
70 - 120	EPKT 2352	14535
150 - 240	EPKT 2362	17223
300 - 400	EPKT 2372	19582

Three Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 70	EPKJ 3079	17864
95 - 150	EPKJ 3080	22240
185 - 400	EPKJ 3081	24313

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for Mining 3.3 kV (E/UE) and 6.6 kV (E) Cable

A) Terminations - 3 Phase, 4 Core Cables (1 Earth Core)

Cross Section (in Sq.mm.)	Indoor Kit No.	Unit Rate (₹)
10/10 - 70/70	EMKT 7A4IH2	10651
95/95 - 185/185	EMKT 7B4IH2	11714

Cross Section (in Sq.mm.)	Outdoor Kit No.	Unit Rate (₹)
10/10 - 70/70	EMKT 7A4OH3	18011
95/95 - 185/185	EMKT 7B4OH3	19811

Note : Dimensional cross sectional drawing of cable is required for correct product selection

(B) Terminations - 3 Phase, 6 Core Cables (3 Earth Cores)

Cross Section (in Sq.mm.)	Indoor Kit No.	Unit Rate (₹)
25/10 - 70/16	EMKT 7E6IH2	16812
95/16 - 185/35	EMKT 7F6IH2	18492

Cross Section (in Sq.mm.)	Outdoor Kit No.	Unit Rate (₹)
25/10 - 70/16	EMKT 7E6OH3	22413
95/16 - 185/35	EMKT 7F6OH3	24641

Note : Dimensional cross sectional drawing of cable is required for correct product selection

(C) Straight Through Joints for Flexible Cable, Screened 3-core / 1 Earth Core With/Without Metal Shielded

Power / Earth Core Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
10/10 - 35/35	EMKJ 2001	38937
50/50 - 95/95	EMKJ 2011	41340
120/120 - 185/185	EMKJ 2021	52836

Note : Dimensional cross sectional drawing of cable is required for correct product selection

(D) Straight Through Joints for Flexible Cable, Screened 3-core / 3 Earth Core With/Without Metal Shielded

Power / Earth Core Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25/10 - 95/16	EMKJ 2201	40590
120/16 - 185/35	EMKJ 2211	52836

Note : Dimensional cross sectional drawing of cable is required for correct product selection

Kits for 6.6 kV (UE) - 11 kV (E) Screened XLPE Cables**Heat Shrink Type****Single Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	EPKT 3002	3614
50 - 95	EPKT 3010	3810
120 - 240	EPKT 3018	4363
300 - 500	EPKT 3026	6725
630 - 1000	EPKT 3034	8710

Single Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	EPKT 3252	5059
50 - 95	EPKT 3260	5448
120 - 240	EPKT 3268	6335
300 - 500	EPKT 3276	8007
630 - 1000	EPKT 3284	10950

Single Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	EPKJ 3250	11653
70 - 120	EPKJ 3251	12887
150 - 185	EPKJ 3252	14544
240 - 300	EPKJ 3253	16278
400 - 500	EPKJ 3254	20316
630 - 1000	EPKJ 3255	25027

Three Core H.T. Cable Indoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	EPKT 3091	10514
50 - 95	EPKT 3101	13028
120 - 185	EPKT 3111	15593
240 - 300	EPKT 3121	16633
400	EPKT 3131	17568

Three Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	EPKT 3342	17263
50 - 95	EPKT 3352	20074
120 - 185	EPKT 3362	21553
240 - 300	EPKT 3372	24236
400	EPKT 3382	25490

Three Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	EPKJ 3115	28631
50 - 95	EPKJ 3116	32053
120 - 185	EPKJ 3117	42439
240 - 400	EPKJ 3118	46415

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for 6.6 kV (UE) - 11 kV (E) Screened XLPE Cables**HVT Type Terminations****Three Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	HVT-3091	9352
50 - 95	HVT-3101	10900
120 - 185	HVT-3111	12905
240 - 300	HVT-3121	13506
400	HVT-3131	14614

Three Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	HVT-3342	15143
50 - 95	HVT-3352	17419
120 - 185	HVT-3362	19153
240 - 300	HVT-3372	21028
400	HVT-3382	21633

HVS Type Joints**Three Core H.T. Cable Straight Through Joints**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	HVS-X-13	20346
50 - 95	HVS-X-59	22266
120 - 185	HVS-X-1218	28841
240 - 400	HVS-X-2440	32377

Uniterm Type Terminations**Single Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	IXSW 3111	4246
50 - 95	IXSW 3121	4686
120 - 240	IXSW 3131	7124
300 - 500	IXSW 3141	9474
630 - 800	IXSW 3151	13598
1000	IXSW 3161	15500

Single Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	OXSW 3111	4972
50 - 95	OXSW 3121	5431
120 - 240	OXSW 3131	7797
300 - 500	OXSW 3141	10282
630 - 800	OXSW 3151	14029
1000	OXSW 3161	16550

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for 6.6 kV (UE) - 11 kV (E) Screened XLPE Cables**Uniterm Type Terminations****Three Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 70	IXSW 3342	14331
95 - 185	IXSW 3352	21651
240 - 400	IXSW 3362	28514

Three Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 70	OXSW 3342	16103
95 - 185	OXSW 3352	23240
240 - 400	OXSW 3362	29878

Rayfit Joints**Single Core H.T. Cable Straight Through Joints (using Mechanical Connector & Rayfit Tubing)**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 95	MXSW 3111	13000
120 - 240	MXSW 3131	18575
300 - 400	MXSW 3141	24480
500	MXSW 3151	32500
630	MXSW 3161	35615
800	MXSW 3171	48743
1000	MXSW 3181	50565

Three Core H.T. Cable Straight Through Joints (using Mechanical Connectors & Rayfit Tubing)

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 95	MXSW 3311	38384
120 - 240	MXSW 3331	51081
300 - 400	MXSW 3341	63162

Single Core H.T. Cable Straight Through Joints (using Crimping Connector & Rayfit Tubing)

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
35 - 70	SXSW 3111	11387
95 - 185	SXSW 3121	12869
240 - 300	SXSW 3131	16275
400 - 500	SXSW 3141	21448

Three Core H.T. Cable Straight Through Joints (using Crimping Connectors & Rayfit Tubing)

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 35	SXSW 3304	30857
50 - 70	SXSW 3314	34547
95 - 185	SXSW 3324	43945
240 - 300	SXSW 3334	48062

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for 6.6 kV (UE) - 11 kV (E) Screened / Belted PILC Cables**Heat Shrink Type****Single Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 50	EPKT 3578	3071
70 - 120	EPKT 3583	3451
150 - 240	EPKT 3588	3621
300 - 500	EPKT 3593	6548
630 - 1000	EPKT 3598	9748

Single Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 50	EPKT 3853	5624
70 - 120	EPKT 3858	5793
150 - 240	EPKT 3863	6692
300 - 500	EPKT 3868	8952
630 - 1000	EPKT 3873	12109

HVS Type Single Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 25	HVS-1-3250	9170
35 - 70	HVS-1-3251	11967
95 - 150	HVS-1-3252	13587
185 - 300	HVS-1-3253	16160
400 - 500	HVS-1-3254	20601
630 - 1000	HVS-1-3255	23092

Three Core H.T. Cable Indoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	EPKT 3667	13864
50 - 95	EPKT 3673	14653
120 - 185	EPKT 3679	17813
240 - 400	EPKT 3685	20940
500 - 630	EPKT 3691	32527

Three Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	EPKT 3943	20517
50 - 95	EPKT 3949	22596
120 - 185	EPKT 3955	25971
240 - 400	EPKT 3961	29559
500 - 630	EPKT 3967	36500

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for 6.6 kV (UE) - 11 kV (E) Screened / Belted PILC Cables**HVS Type Three Core H.T. Cable Straight Through Joints**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	HVS-3-1151	27019
50 - 95	HVS-3-1152	28086
120 - 185	HVS-3-1153	32121
240 - 400	HVS-3-1154	39938
500 - 630	HVS-3-1155	49363

**IPKT Type Terminations for PILC Belted Cable
Three Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	IPKT 3667	9236
50 - 95	IPKT 3673	9764
120 - 185	IPKT 3679	11865
240 - 400	IPKT 3685	13946
500 - 630	IPKT 3691	21669

Three Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	IPKT 3943	14810
50 - 95	IPKT 3949	16311
120 - 185	IPKT 3955	18747
240 - 400	IPKT 3961	21338
500 - 630	IPKT 3967	26343

IHVS Type Three Core PILC Belted H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	IHVS-3-1151	24552
50 - 95	IHVS-3-1152	25522
120 - 185	IHVS-3-1153	29189
240 - 400	IHVS-3-1154	36292
500 - 630	IHVS-3-1155	44856

ETRJ Type - Transition Joint for 11kv(E) 3C XLPE Screened To 3C PILC Belted / Screened Cables

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 25	ETRJ 4775	42389
35 - 70	ETRJ 4776	53216
95 - 150	ETRJ 4777	56702
185 - 300	ETRJ 4778	59921
400 - 500	ETRJ 4779	63352

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for Mining 11 kV (E) Cable**(A) Terminations - 3 Phase, 4 Core Cables (1 Earth Core)**

Cable Size (in Sq.mm.)	Indoor Kit No.	Unit Rate (₹)
10/10 - 50/50	EMKT 17A4IH2	12880
70/70 - 95/95	EMKT 17B4IH2	17988

Cable Size (in Sq.mm.)	Outdoor Kit No.	Unit Rate (₹)
10/10 - 50/50	EMKT 17A4OH3	21792
70/70 - 95/95	EMKT 17B4OH3	25853

(B) Terminations - 3 Phase, 6 Core Cables (3 Earth Cores)

Cable Size (in Sq.mm.)	Indoor Kit No.	Unit Rate (₹)
25/10 - 185/35	EMKT 17E6IH2	20341

Cable Size (in Sq.mm.)	Outdoor Kit No.	Unit Rate (₹)
25/10 - 185/35	EMKT 17E6OH3	27123

Kits for 11 kV (UE) Screened / Belted PILC Cables**Heat Shrink Type****Three Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	EPKT 4667	13889
50 - 95	EPKT 4673	15125
120 - 185	EPKT 4679	16974
240 - 400	EPKT 4685	22966
500 - 630	EPKT 4691	36055

Three Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	EPKT 4943	23596
50 - 95	EPKT 4949	23827
120 - 185	EPKT 4955	25460
240 - 400	EPKT 4961	29160
500 - 630	EPKT 4967	41939

HVS Type Three Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	HVS-3-2151	45863
50 - 95	HVS-3-2152	48050
120 - 185	HVS-3-2153	51498
240 - 400	HVS-3-2154	56237

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for 22 kV (E) Screened XLPE Cables**Heat Shrink Type****Single Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 50	EPKT 5002	4308
70 - 150	EPKT 5010	5105
185 - 300	EPKT 5018	6432
400 - 630	EPKT 5026	9174
800 - 1000	EPKT 5034	9409

Single Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 50	EPKT 5252	6120
70 - 150	EPKT 5260	7142
185 - 300	EPKT 5268	8026
400 - 630	EPKT 5276	10704
800 - 1000	EPKT 5284	11543

Single Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	EPKJ 5256	20028
70 - 150	EPKJ 5257	21343
185 - 240	EPKJ 5258	24279
300 - 400	EPKJ 5259	28458
500 - 630	EPKJ 5260	37483
800 - 1000	EPKJ 5261	40264

Three Core H.T. Cable Indoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 50	EPKT 5092	13454
70 - 120	EPKT 5102	16672
150 - 185	EPKT 5112	20365
240 - 400	EPKT 5122	23958

Three Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 50	EPKT 5343	21990
70 - 120	EPKT 5353	26976
150 - 185	EPKT 5363	30899
240 - 400	EPKT 5373	41081

Three Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	EPKJ 5115	51927
70 - 95	EPKJ 5116	60647
120 - 150	EPKJ 5117	64000
185 - 240	EPKJ 5118	81057
300 - 400	EPKJ 5119	90259

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for 22 kV (E) Screened XLPE Cables**Uniterm Type Terminations****Single Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 70	IXSW 5121	4323
95 - 240	IXSW 5131	5543
300 - 400	IXSW 5141	7817
500 - 800	IXSW 5151	14353
1000	IXSW 5161	16200

Single Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 70	OXSW 5121	7144
95 - 240	OXSW 5131	9221
300 - 400	OXSW 5141	12072
500 - 800	OXSW 5151	16673
1000	OXSW 5161	23640

Three Core H.T. Cable Indoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	IXSW 5321	18825
70 - 185	IXSW 5331	21914
240 - 400	IXSW 5341	26558

Three Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	OXSW 5321	28565
70 - 185	OXSW 5331	34482
240 - 400	OXSW 5341	45025

Rayfit Joints**Single Core H.T. Cable Straight Through Joints (using Mechanical Connector & Rayfit Tubing)**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 95	MXSW 5111	25375
120 - 240	MXSW 5131	28865
300 - 400	MXSW 5141	41886
500	MXSW 5151	49730
630	MXSW 5161	52640
800	MXSW 5171	64740
1000	MXSW 5181	69534

Three Core H.T. Cable Straight Through Joints (using Mechanical Connectors & Rayfit Tubing)

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 95	MXSW 5311	72777
120 - 240	MXSW 5331	97270
300 - 400	MXSW 5341	105956

Single Core H.T. Cable Straight Through Joints (using Crimping Connector & Rayfit Tubing)

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
50 - 95	SXSW 5121	22410
120 - 240	SXSW 5131	25495
300 - 500	SXSW 5141	38501
630 - 800	SXSW 5151	42281

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 27

Kits for 22 kV (E) Screened XLPE Cables**Rayfit Joints**

Three Core H.T. Cable Straight Through Joints (using Crimping Connectors & Rayfit Tubing)

CABLE SIZE (in Sq.mm.)	KIT No.	Unit Rate (₹)
35 - 95	SXSW 5304	63680
120 - 240	SXSW 5314	85110
300	SXSW 5324	92714

Kits for 22 kV (E) Screened PILC Cables**Heat Shrink Type****Single Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	EPKT 5578	3604
70 - 150	EPKT 5583	4096
185 - 400	EPKT 5588	5884
500 - 800	EPKT 5593	8531
1000	EPKT 5598	10214

Single Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	EPKT 5853	6767
70 - 150	EPKT 5858	7363
185 - 400	EPKT 5863	8892
500 - 800	EPKT 5868	11408
1000	EPKT 5873	12781

Single Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	EPKJ 7256	25347
70 - 150	EPKJ 7257	26676
185 - 240	EPKJ 7258	31819
300 - 500	EPKJ 7259	32968

Three Core H.T. Cable Indoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	EPKT 5638	14276
70 - 120	EPKT 5644	18362
150 - 240	EPKT 5650	24440
300 - 500	EPKT 5656	28631

Three Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	EPKT 5914	24318
70 - 120	EPKT 5920	28753
150 - 240	EPKT 5926	33314
300 - 500	EPKT 5932	44270

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for 22 kV (E) Screened PILC Cables**Heat Shrink Type****Three Core H.T. Cable Straight Through Joints**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	EPKJ 7115	62073
70 - 95	EPKJ 7116	66645
120 - 150	EPKJ 7117	81847
185 - 240	EPKJ 7118	84966
300 - 400	EPKJ 7119	91975

ETRJ Type - Transition Joint for 22kv(E) 3C XLPE Screened To 3C PILC Screened Cables

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
95 - 150	ETRJ 5777	84480
185 - 300	ETRJ 5778	105339

Kits for Mining 22 kV (E) Cable**(A) Terminations - 3 Phase, 4 Core Cables (1 Earth Core)**

Cross Section (in Sq.mm.)	Indoor Kit No.	Unit Rate (₹)
16/16 - 95/95	EMKT 24A4IH3	15591

Cross Section (in Sq.mm.)	Outdoor Kit No.	Unit Rate (₹)
16/16 - 95/95	EMKT 24A4OH4	26373

(B) Terminations - 3 Phase, 6 Core Cables (3 Earth Cores)

Cross Section (in Sq.mm.)	Indoor Kit No.	Unit Rate (₹)
25/10 - 185/35	EMKT 24E6IH3	22376

Cross Section (in Sq.mm.)	Outdoor Kit No.	Unit Rate (₹)
25/10 - 185/35	EMKT 24E6OH4	29835

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for 33 kV (E) Screened XLPE Cables**Heat Shrink Type****Single Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	EPKT 6002	5641
70 - 185	EPKT 6010	6501
240 - 500	EPKT 6018	9594
630 - 800	EPKT 6026	11054
1000	EPKT 6034	12177

Single Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	EPKT 6252	9540
70 - 185	EPKT 6260	10995
240 - 500	EPKT 6268	12594
630 - 800	EPKT 6276	13870
1000	EPKT 6284	14966

Single Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
35 - 70	EPKJ 6256	23505
95 - 150	EPKJ 6257	30089
185 - 400	EPKJ 6258	37718
500 - 1000	EPKJ 6259	55482

Three Core H.T. Cable Indoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	EPKT 6093	20385
70 - 95	EPKT 6103	21923
120 - 185	EPKT 6113	33151
240 - 400	EPKT 6123	37590

Three Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 50	EPKT 6344	27963
70 - 95	EPKT 6354	35538
120 - 185	EPKT 6364	46063
240 - 400	EPKT 6374	60968

Three Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
35 - 70	EPKJ 6115	62572
95 - 150	EPKJ 6116	79074
185 - 300	EPKJ 6117	112300
400	EPKJ 6118	125756

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for 33 kV (E) Screened XLPE Cables**Uniterm Type Terminations****Single Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
50 - 120	IXSW 6141	7522
150 - 400	IXSW 6151	11061
500 - 800	IXSW 6161	21281
1000	IXSW 6181	23500

Single Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
50 - 120	OXSW 6141	12243
150 - 400	OXSW 6151	13750
500 - 800	OXSW 6161	25315
1000	OXSW 6181	27750

Three Core H.T. Cable Indoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
50 - 120	IXSW 6332	23687
150 - 300	IXSW 6342	37002
400 - 500	IXSW 6352	66160

Three Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
50 - 120	OXSW 6332	36460
150 - 300	OXSW 6342	53623
400 - 500	OXSW 6352	79539

Rayfit Joints**Single Core H.T. Cable Straight Through Joints (using Mechanical Connector & Rayfit Tubing)**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
35 - 95	MXSW 6111	34465
120 - 240	MXSW 6131	41326
300 - 400	MXSW 6141	58066
500	MXSW 6151	59203
630	MXSW 6161	61935
800	MXSW 6171	74817
1000	MXSW 6181	76043

Three Core H.T. Cable Straight Through Joints (using Mechanical Connectors & Rayfit Tubing)

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
35 - 95	MXSW 6311	95784
120 - 240	MXSW 6331	133075
300 - 400	MXSW 6341	149020

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for 33 kV (E) Screened XLPE Cables**Rayfit Joints**

Single Core H.T. Cable Straight Through Joints (using Crimping Connector & Rayfit Tubing)

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
50 - 150	SXSW 6122	31020
185 - 300	SXSW 6132	37193
400 - 630	SXSW 6142	53521

Three Core H.T. Cable Straight Through Joints (using Crimping Connectors & Rayfit Tubing)

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
50 - 70	SXSW 6304	73027
95 - 150	SXSW 6314	92284
185 - 400	SXSW 6324	131611

Kits for 33 kV (E) Screened PILC Cables**Heat Shrink Type**

Single Core H.T. Cable Indoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
35 - 70	EPKT 6578	5205
95 - 150	EPKT 6583	6250
185 - 300	EPKT 6588	8877
400 - 630	EPKT 6593	11562
800 - 1000	EPKT 6598	12626

Single Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
35 - 70	EPKT 6853	9132
95 - 150	EPKT 6858	10959
185 - 300	EPKT 6863	11858
400 - 630	EPKT 6868	14893
800 - 1000	EPKT 6873	16486

Single Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
35 - 70	EPKJ 8256	25136
95 - 150	EPKJ 8257	28120
185 - 400	EPKJ 8258	34686
500 - 630	EPKJ 8259	49500
800 - 1000	EPKJ 8260	63642

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Kits for 33 kV (E) Screened PILC Cables**Heat Shrink Type****Three Core H.T. Cable Indoor Terminations**

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
35 - 70	EPKT 6639	22441
95 - 150	EPKT 6645	26479
185 - 300	EPKT 6651	36708
400	EPKT 6657	39449

Three Core H.T. Cable Outdoor Terminations

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
35 - 70	EPKT 6915	32392
95 - 150	EPKT 6921	40329
185 - 300	EPKT 6927	46619
400	EPKT 6933	62113

Three Core H.T. Cable Straight Through Joints

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
35 - 70	EPKJ 8115	80722
95 - 150	EPKJ 8116	90835
185 - 300	EPKJ 8117	129157
400	EPKJ 8118	132059

ETRJ Type - Transition Joint for 33kV (E) 3C XLPE Screened to 3C PILC Screened Cables

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
185 - 400	ETRJ 6778	157562

Kits for Mining 33 kV (E) Cable**(A) Terminations - 3 Phase, 4 Core Cables (1 Earth Core)**

Cross Section (in Sq.mm.)	Indoor Kit No.	Unit Rate (₹)
25/25 - 120/120	EMKT 36A4IH4	17930
Cross Section (in Sq.mm.)	Outdoor Kit No.	Unit Rate (₹)
25/25 - 120/120	EMKT 36A4OH5	37906

(B) Terminations - 3 Phase, 6 Core Cables (3 Earth Cores)

Cross Section (in Sq.mm.)	Indoor Kit No.	Unit Rate (₹)
25/10 - 185/35	EMKT 36E6IH4	36777
Cross Section (in Sq.mm.)	Outdoor Kit No.	Unit Rate (₹)
25/10 - 185/35	EMKT 36E6OH5	56573

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper Lugs & Ferrules, please refer to page 23

Insulation Enhancement

Tubes

Heat Shrinkable Busbar Protection Tubes (Uncoated)
Supplied In Continuous Length

Product Reference	Roll Length (in meter)	Unit Rate (₹ / meter)
BPTM-15/6-A/U	30	1382
BPTM-30/12-A/U	30	1488
BPTM-50/20-A/U	30	2134
BPTM-75/30-A/U	20	3567
BPTM-100/40-A/U	25	5137
BPTM-120/50-A/U	25	7234
BPTM-175/70-A/U	15	9722

Heat Shrinkable Busbar Insulation Tubes (Uncoated)
Supplied In Continuous Length

Product Reference	Roll Length (in meter)	Unit Rate (₹ / meter)
BBIT-25/10-A/U	25	2834
BBIT-40/16-A/U	20	3136
BBIT-65/25-A/U	15	4027
BBIT-100/40-A/U	15	6244
BBIT-150/60-A/U	15	10105
BBIT-175/80-A/U	10	12799

Heat Shrinkable Medium Wall Insulating Tubes (Uncoated)
Supplied In Continuous Length

Product Reference	Roll Length (in meter)	Unit Rate (₹ / meter)
MWTM-10/3-A/U	40	851
MWTM-16/5-A/U	40	1029
MWTM-25/8-A/U	40	1117
MWTM-35/12-A/U	30	1592
MWTM-50/16-A/U	25	1921
MWTM-75/22-A/U	20	3187
MWTM-85/25-A/U	20	4385
MWTM-115/34-A/U	20	6524
MWTM-140/42-A/U	20	7559

Heat Shrinkable Outer Protection Insulating Tubes (Coated)

Product Reference	Length (in mm.)	Unit Rate (₹)
WCSM-20/6	1500	4069
WCSM-33/8	1500	4268
WCSM-48/12	1500	4685
WCSM-56/16	1500	6573
WCSM-90/25	1500	8382
WCSM-130/35	1500	12199
WCSM-160/50	1500	14867
WCSM-180/50	1500	20033

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Insulation Enhancement

Tapes & Sheets

High Voltage Busbar Insulating Heat Shrinkable Tape

Product Reference	Width (in mm.)	Unit Rate (₹ / meter)
HVBT-12-A	25	1063
HVBT-14-A	50	2088
HVBT-15-A	75	3059
HVBT-16-A	100	3994

High Voltage Insulation Sheet Non Heat Shrinkable

Product Reference	Roll Length (in meter)	Unit Rate (₹ / meter)
BCIS-1 (NS)	100 (WIDTH 730MM)	16547

Non Heat Shrink Tapes

Product Reference	Width / Length (in mm.)	Unit Rate (₹)
TAPE-SELF-AMAL-INSU.	38/10000	2608
SELF-AMAL-SEMI-COND.	19/5000	1596
POLYSTIX-1i	25/600	109
POLYSTIX-2i	50/1000	267
EPPA-033-1-1000	19/1000	2393

Creepage Extenders

High Voltage Creepage Extender

Product Reference	Shed Dia. Of Insulator (in mm.)	Unit Rate (₹)
HVCE 140/120-01	121 - 140	21473
HVCE 160/140-01	141 - 160	32207
HVCE 205/184-01	184 - 205	35783
HVCE-268/248-11	248 - 268	46110
HVCE-310/290-11	290 - 310	53291

High Voltage Creepage Extender

Product Reference	Shed Dia. Of Insulator (in mm.)	Unit Rate (₹)
HVCE-WA-221-01-(B6)	221	31084
HVCE-WA-280-01	280	36180
HVCE-WA-292-01 (B6)	292	41427
HVCE-WA-341-01 (B6)	340	71130
HVCE-WA-420-01	420	151924

Insulation Enhancement

Medium Voltage Line Cover

Product Reference	Voltage (kV)	Roll Length (in meter)	Unit Rate (₹ / meter)
MVLC-14-A/241 (COATED)	33	100	3463
MVLC-18-A/U	11	75	2427
MVLC-18-A/241 (COATED)	33	50	3463
MVLC-38-A/241 (COATED)	33	165	4787

Product Reference	Unit Rate (₹)
MVLC-HAND-TOOL	101005

Boots

11kV Right Angled Heat Shrink Boots

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
16 - 35	RSRB 4042	14973
50 - 95	RSRB 4044	15487
120 - 300	RSRB 4046	17258

22kV / 33kV Right Angled Heat Shrink Boots

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
120-185 (FOR BUSHING DIA < 65mm)	RSRB 6044	16173
120-185 (FOR BUSHING DIA > 65mm)	RSRB 6045	42302
225-400 (FOR BUSHING DIA > 65mm)	RSRB 6046	42854

11kV (E) / (UE) Right Angled Cold Applied Boots

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 400	E-CAB-KIT	4618

11kV(E) / (UE) Straight Cold Applied Boots

Cable Size (in Sq.mm.)	Kit No.	Unit Rate (₹)
25 - 400	CAB-RRL-KIT	8074

Other Products

Mechanical Connectors

Ferrules

Product Reference	Block	Conductor Size (in Sq.mm.)	Unit Rate (₹)
BSMU-25/95	NO	25 - 95	2837
BSMB-25/95	YES	25 - 95	2844
BSMU-35/150	NO	35 - 150	3850
BSMB-35/150	YES	35 - 150	4252
BSMU-95/240	NO	95 - 240	5424
BSMB-95/240	YES	95 - 240	6170
BSMU-185/400	NO	185 - 400	8465
BSMB-185/400	YES	185 - 400	8771
BSMU-120/300	NO	120 - 300	8726
BSMB-120/300	YES	120 - 300	9437
BSMB-185/400-500	YES	185/400-500	18462
BSMB-185/400-630	YES	185/400-630	19626
BSMB-630 MK2	YES	630	16290
BSMB-800 MK2	YES	800	17616
BSMB-1000	YES	1000	18534

Lugs

Product Reference	Conductor Size (in Sq.mm.)	Unit Rate (₹)
BLMT-25/95-13	25 - 95	3555
BLMT-35/150-13	35 - 150	7652
BLMT-95/240-17	95 - 240	4854
BLMT-120/300-17	120 - 300	8438
BLMT-185/400-17	185 - 400	7685
BLMT-500/630-17	500 - 630	13676
BLMT-800/1000-17	800 - 1000	21208

Crimping Connector

Crimping Type Heavy Duty Copper Lugs

Cross Section (in Sq.mm.)	Unit Rate (₹)
16	56
25	88
35	67
50	110
70	177
95	239
120	342
150	482
185	624
240	864
300	1364
400	1762
500	2035
630	4602
800	5500
1000	10608

Crimping Type Heavy Duty Copper Ferrule

Cross Section (in Sq.mm.)	Unit Rate (₹)
16	44
25	106
35	139
50	150
70	160
95	226
120	326
150	408
185	598
240	745
300	1053
400	1755
500	2409
630	2894
800	4269
1000	6118

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Other Products

Wrap Around Heat Shrinkable Flexible Cable Repair Sleeves

Product Reference	Application Range (in mm)	Length (in mm)	Unit Rate (₹)
MRSM 50/23	25 - 40	600	11598
MRSM 73/38	40 - 58	600	14117
MRSM 100/51	58 - 89	600	21789

Heat Shrinkable Wrap Around Outer Sheath Repair Kit

Product Reference	Cable Outer Dia (in mm)	STD Length (in mm)	Unit Rate (₹)
IRJ - 1	10 - 40	525	1546
IRJ - 2	10 - 40	700	1969
IRJ - 3	24 - 56	700	2356
IRJ - 4	32 - 82	910	3738
IRJ - 5	40 - 110	965	4323
IRJ - 6	57 - 145	1100	5733

Cable End Caps

Product Reference	Cable Outer Dia (in mm)	Min. Order Qty.	Unit Rate (₹)
102 L 011 / S	4 - 8	1000	20
102 L 022 / S	8 - 17	500	46
102 L 033 / S	15 - 30	400	73
102 L 044 / S	25 - 50	150	100
102 L 048 / S	35 - 70	75	171
102 L 055 / S	45 - 95	50	222
102 L 066 / S	70 - 105	40	288
102 L 077 / S	90 - 150	20	650
102 L 088 / S	130 - 220	10	850

Power Line Protector

Product Reference	kV	Roll Length (in meter)	Unit Rate (₹ / meter)
POLIPRO	1.1	20	432

Screened, Separable Elbow Connectors for TYPE C Bushing

Screened, Separable Elbow FRONT Connectors for TYPE C Bushing as per
EN50180 / EN 50181 - ELBC Single core

Product Reference	Max System Voltage	Cable Size (in Sq.mm.)	AMP	Unit Rate (₹ / set)
ELBC-811-1C	12kV	25 - 400	630/800A	67900
ELBC-822-1C	24kV	25 - 400	630/800A	69990
ELBC-833-1C	36kV	25 - 400	630/800A	84500
ELBC-811/822/833-1C	12/24/36kV	400 - 800	1250A	165000

Screened, Separable Elbow Rear Connectors for TYPE C Bushing as per
EN50180 / EN 50181 - ELBC Single core

Product Reference	Max System Voltage	Cable Size (in Sq.mm.)	AMP	Unit Rate (₹ / set)
ELBC-CC-811-1C	12kV	25 - 400	630/800A	74690
ELBC-CC-822-1C	24kV	25 - 400	630/800A	76989
ELBC-CC-833-1C	36kV	25 - 400	630/800A	92950
ELBC-CC-811/822/833-1C	12/24/36kV	400 - 800	1250A	181500

Screened, Separable Elbow FRONT Connectors for TYPE C Bushing as per
EN50180 / EN 50181 - ELBC Three core with Trifurcation Kit

Product Reference	Max System Voltage	Cable Size (in Sq.mm.)	AMP	Unit Rate (₹ / set)
ELBC-811-3C	12kV	25 - 400	630/800A	73500
ELBC-822-3C	24kV	25 - 400	630/800A	74750
ELBC-833-3C	36kV	25 - 400	630/800A	99750
ELBC-811/822/833-3C	12/24/36kV	400 - 630	1250A	170000

Screened, Separable Elbow Rear Connectors for TYPE C Bushing as per
EN50180 / EN 50181 - ELBC Three core with Trifurcation Kit

Product Reference	Max System Voltage	Cable Size (in Sq.mm.)	AMP	Unit Rate (₹ / set)
ELBC-CC-811-3C	12kV	25 - 400	630/800A	80850
ELBC-CC-822-3C	24kV	25 - 400	630/800A	82225
ELBC-CC-833-3C	36kV	25 - 400	630/800A	109725
ELBC-CC-811/822/833-3C	12/24/36kV	400 - 630	1250A	187000

Plug-In Termination

Plug-In Termination 1 core (1no.) for Inner cone Bushing as per
EN50180 / EN 50181 - RPIT

Product reference	Max System Voltage	Size of Bushing	Dia Over Insulation Range in mm	AMP	Unit Rate (₹) Per No. (1C)
RPIT - X2XX	up to 36kV	Size - 2	19.5 - 42	800A	75900
RPIT - X3XX	up to 42kV	Size - 3	26 - 50	1250A	79500
Trifurcation Kit	up to 42kV	Size - 2/3	-	-	39500

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Accessories for LV Aerial Bundled Cables (ABC)

Insulation Piercing Connectors (IPC) for Main /
Service / Street Lighting Connections

Range (in sq.mm)

Main	Tap	Description	Model	MOQ (in pcs)	Unit Rate (₹)
16 - 95	1.5 - 10	IPC Type 001	EP95	500	152
16 - 95	1.5 - 10	IPC Type 001	EP95_B		143
16 - 95	6 - 25	IPC Type 001	KZEP_95		159
16 - 95	4 - 50	IPC Type 002	KZ2-95		184
50 - 150	6 - 50	IPC Type 003	KZ2-150		248
50 - 150	6 - 50	IPC Type 003	KZ2-150_B		295
25 - 95	25 - 95	IPC Type 004	KZ3-95		318
50 - 150	50 - 150	IPC Type 005	KZ4-150		416
50 - 150	50 - 150	IPC Type 005	KZ4-150_Cu Blade		1145
16 - 150	16 - 150	IPC Type 005	KZ4 16 150_AA		405
50 - 150	50 - 150	IPC Type 006 (Assembly of 2 IPCs)	P4X-150D		1270
50 - 150	4R_2.5 - 35*	Multiport IPC - 4 way	MPIPC-01		1225
16 - 95	4 - 50	IPC Bare to Insulated - 001	IPCBI-01		425
25 - 95	25 - 95	IPC Bare to Insulated - 002	IPCBI-02		480

IPCs for MVCC Application

Main	Tap	Description	Model	MOQ (in pcs)	Unit Rate (₹)
35 - 99	35 - 99	MV IPC 001	MV IPC 50 - 99	50	1480
95 - 240	35 - 95	MV IPC 002	MV IPC 95/240		2240
185 - 240	240 - 300	MV IPC 003 2 Bolted	MV IPC 240/300		2980

Description	Model	Range (in sq.mm)	MOQ (in pcs)	Unit Rate (₹)
End Caps	CECT 16 - 150	16 - 150	200	21 per End Cap

Type	Description	Model	MOQ (in pcs)	Unit Rate (₹)
1	Flat Eye Hook - 10KN	FEH10	200	166
2	Flat Eye Hook - 13KN	FEH13		175
3	Pole Clamp - 10KN	PC10		690
4	Flat Eye Hook - 20KN	FEH20 + PC20 (as per REC specs)		190
5	Pole Clamp - 20KN	FEH20 + PC20 (as per REC specs)		925
6	Bolted Eye Hook - 20KN	BEH20 (as per REC specs)		324
7	Bolted Eye Hook - 18KN	BEH18 (as per REC specs)		345
7	Pole Clamp with integrated Eye Hook - 10KN	PCEH		925

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Accessories for LV Aerial Bundled Cables (ABC) with Insulated & Bare Messenger

Clamps for Insulated Messenger

Description	Cable Range (in sq.mm)	Model	MOQ (in pcs)	Unit Rate (₹)
Anchoring Clamp	25 - 35	PA 600	100	700
	16 - 50	PA 1000		875
	50 - 70	PA1500		1050
Anchoring Clamp with Al. Alloy Bracket and Stainless Steel strap & Buckles.	50 - 70	EA1500		1750
Double Anchoring Clamp with Al. Alloy	50 - 70	EAD1500		2100
Anchoring Clamp	70 - 95	PA 95-2000		1225
Anchoring Clamp with Al. Alloy Bracket and Stainless Steel strap & Buckles.	70 - 95	EAD 2000		2730
Anchoring clamp Wedge type	95 - 120	PA 120		2150
Bolted Anchoring Clamp	95 - 120	PA120		825
Suspension Clamp	25 - 50	PS1000 25 - 50		350
Suspension Clamp	25 - 95	PS+LM1500 25 - 95		473
Suspension Clamp with Al. Alloy Bracket and Stainless Steel Strap and Buckles.	25 - 95	ES 1500 25 - 95		875
Suspension Clamp	95 - 120	PS 120		675
Bolted Suspension Clamp	25 - 50	BSC 25 - 50		350

Service Anchoring clamp

Description	Model	MOQ (in pcs)	Unit Rate (₹)
Service Anchoring clamp	PAS 35_HDG Bail	50	149
Service Anchoring clamp	PAS 35_SS Bail		158
Service Anchoring clamp	PAS 35_SS Bail_with Link		185
Service Anchoring clamp 2C - 10 & 4 - 25	PAS 35_SS Bail_with Link		210

Pole Line Hardware

Description	Model	MOQ (in pcs)	Unit Rate (₹)
Al Alloy Bracket as per NFC Standard (15KN)	CA 1500	50	438
Al Alloy Bracket as per NFC Standard (20KN)	CA 2000		613
SS* Strap Roll : 20mm x 0.7mm x 50 mtr lengthSSR 2050	RF2007	20 Rolls	3550
SS Strap Roll with Casing	RF2007_C	20 Rolls	4375
SS Strap Roll with Casing & Marking	RF2007_CM	20 Rolls	7420
SS* Buckle : 100 nos per packet	SSB 20	100 Packets	2450
Steel Strap Installation Tool	SSIT	2	18500

*SS - Stainless Steel

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Clamps for Bare Messenger

Description	Cable Range (in sq.mm)	Model	MOQ (in pcs)	Unit Rate (₹)
Dead End Clamp	16 - 70	DEC15 - 2B	100	225
	16 - 50	DEC10 - 2B		175
	70 - 120	DEC40 - 3B		525
	70 - 210	DEC70-210 - 3B		613
Suspension Clamp	16 - 70	SC 16-70 - 1B	100	225
	16 - 50	SC 16-50 - 1B		145
	70 - 210	SC 70-210 - 2UB		630

Pre-Insulated Connector for Aerial Bundled Cables (ABC)

Pre-Insulated Jointing Sleeve for Phase Cables / Street Light Cables / Insulated Neutral Messengers

Cable Range (in sq.mm)	Model	MOQ (in pcs)	Unit Rate (₹)
16	MJPT 16	200	231
25	MJPT 25		245
35	MJPT 35		263
50	MJPT 50		298
70	MJPT 70		320
95	MJPT 95		345
120	MJPT 120		1045
150	MJPT 150		1045
16	MJPB 16		185
25	MJPB 25		195

Jointing Sleeve for Bare Messengers

Cable Range (in sq.mm)	Model	MOQ (in pcs)	Unit Rate (₹)
25	MJS 25	500	438
35	MJS 35		438
50	MJS 50		525
70	MJS 70		700
95	MJS 95		875

Pre-Insulated Bi-Metallic Lug for End Terminals of ABC Cables

Cable Range (in sq.mm)	Model	MOQ (in pcs)	Unit Rate (₹)
16	CPTAU 16	200	575
25	CPTAU 25		596
35	CPTAU 35		635
50	CPTAU 50		645
70	CPTAU 70		645
95	CPTAU 95		725
120	CPTAU 120		1575
150	CPTAU 150		1663

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Distribution Boxes / Accessories

Distribution Boxes with Spring Loaded Busbar Connection

Ampacity	Description			Cable Range (in sq.mm)	MOQ (in pcs)	Unit Rate (₹)
	Phase	Incoming	Outgoing			
140	Single	1	4	140 A Incoming : up to 50 sq. mm. 2.5 to 35 sq. mm.	300	2450
		1	5			2800
		1	9			3500
	Three	1	2			3500
		1	3			3850
		1	4			4200
200	Single	1	4	200A Incoming : up to 70 sq. mm. Outgoing : 2.5 to 50 sq. mm.	300	2450
		1	5			2800
		1	9			3500
	Three	1	2			3500
		1	3			3850
		1	4			4200
250	Single	2	6	250A Incoming : up to 50 sq. mm. Outgoing: 2.5 to 35 sq. mm.	300	5250
		2	8			5600
		2	18			8750
	Three	1	4			4200
		1	9			9800
		1	18			1780
300	Single	2	6	300A Incoming : up to 70 sq. mm. Outgoing: 2.5 to 50 sq. mm.	300	5250
		2	8			5600
		2	18			8750
	Three	1	4			4200
		1	9			9800
		1	18			1780
140	Three	1	6	SMC Bolted DB		2400
200	Three	1	6	SMC Bolted DB		2800
140	Single	1	9	ASA Bolted DB		1960
140	Three	1	4	ASA Bolted DB		1960
200	Three phase SMC Busbar assy DB	3	4	SMC Housing		2950
200	MS Deep drawn Single phase DB	1	8	MS Deep drawn		1830
200	MS Deep drawn Single phase DB	1	4	MS Deep drawn		2680

Anti-theft Distribution Box

200	Anti-theft TP distribution Box	2	4	MS Powder coated	50	27650
-----	--------------------------------	---	---	------------------	----	-------

Mounting Accessories

Description	Designation	MOQ (in pcs)	Unit Rate (₹)
Stainless Steel SS Strap Roll : 20mm x 0.7mm x 50 mtr length	SSR 2050	20 Rolls	6125
Stainless Steel SS Buckle : 100 nos per packet	SSB 20	100 Packets	2625
Steel Strap Installation Tool	SSIT	2	21000

Notes

- Earthing provision and cable gland arrangement are optional
 - DB with ON-OFF feature (250A) can be offered
 - Boxes are also available in fire retardant version

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Connector for Bare Overhead Cables**Ampact Connectors Selection Chart for the Conductors used in INDIA**

Tap/Main	Rabbit	Raccoon	Dog	Coyote	Wolf	Lynx	Panther	Goat	Kandha	Drake	Zebra	Moose	Tarantula	Falcon
Rabbit			AJA4010007	AJA4010012		AJA4010050	AJA4010050		AJA4010051					
Raccoon		AJA4010007	602046-5	AJA4010003	AJA4010040		1-602031-9		602121-8/9	AJA4010052	AJA4010052			
Dog			AJA4010003	AJA4010013		AJA4010019 AJA4010049	AJA4010019	602121-8/9	602121-8	AJA4010030	AJA4010030			
Coyote				AJA4010013		AJA4010019 AJA4010049	AJA4010017	AJA4010030	AJA4010030	AJA4010030 AJA4010029	AJA4010023	1-602300-0		
Wolf					AJA4010017	AJA4010028	AJA4010018	AJA4010030	AJA4010029	AJA4010028	AJA4010028	AJA4010064	AJA403009	
Lynx						AJA4010018	AJA4010020	AJA4010028	AJA4010027 AJA4010028	AJA4010027	AJA4010028	AJA4010063		
Panther							AJA4010020	AJA4010028	AJA4010027 AJA4010028		AJA4010027	AJA4010063		
Goat								AJA4010026	AJA4010057 AJA4010026		AJA4010026			AJA4030046
Kandha									AJA4010089	AJA4010004	AJA4010046	AJA4010062		
Drake										AJA4010004	AJA4010028	AJA4010025	AJA4030046	AJA4030046
Zebra											AJA4010008	AJA4010025	AJA4030046	AJA4030046
Moose												AJA4010024	AJA4010006	AJA4010006
Tarantula													AJA4010002	AJA4010002
Falcon														AJA4010002
Conductor Size Diameter (in mm.)	10.05	12.3	14.15	15.9	18.1	19.5	21	26	26.88	28.1	28.6	31.8	36.6	39.3

Note : Blue catridges to be used for ampact connectors for which part numbers are in unshaded box.

Yellow catridges to be used for ampact connectors for which part numbers are in shaded box.

Prices mentioned below are without power boosters and cost of power boosters may differ depends upon site

Model	MOQ (in pcs)	Unit Rate (₹)	Model	MOQ (in pcs)	Unit Rate (₹)
AJA4010007	50	620	AJA4010002	200	9500
AJA4010003		740	AJA4010006		15677
AJA4010012		770	AJA4010004		895
AJA4010013		597	AJA4010008		1867
602046-5		680	AJA4030009		10720
AJA4010017		1345	AJA4010023		2012
AJA4010018		880	AJA4010024		4781
AJA4010019		930	AJA4010025		4838
AJA4010020		1180	AJA4010027		1616
AJA4010026		2030	AJA4010046		1568
AJA4010029		2315	AJA4010051		2916
AJA4010030		2311	AJA4010052		2065
AJA4010040		930	AJA4010062		3430
AJA4010049		1070	AJA4010063		3667
AJA4010050		930	AJA4010064		3560
AJA4010057		2030	AJA4030046		12122
1-602031-9		862	1-602300-0		3869
602121-8/9		2874			

Universal Distribution Connectors Selection Chart (UDC)

TAP/MAIN	2.5 sq.mm.	Squirell	Gnat	Weasel	Ant	Rabbit
2.5 sq.mm		AJA4040086	AJA4030098	AJA4010071		AJA4010088
Squirrel		AJA4010031	AJA4010031	AJA4010032	AJA4010032	AJA4010032
Gnat			AJA4010031	AJA4010032	AJA4010032	AJA4010032
Weasel				AJA4010032	AJA4010032	AJA4010032
Ant					AJA4010032	AJA4010032
Rabbit						AJA4010032
Conductor Size Diameer (in mm.)	2.25	6.33	6.63	7.77	9.3	10.05

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Connector for Bare Overhead Cables

Model	MOQ (in pcs)	Unit Rate (₹)
AJA4040086	5000	65
AJA4030098		180
AJA4010071		230
AJA4010088		150
AJA4010031		190
AJA4010032		220
AJA4010033		230

Mini Wedge Connectors

Description		MOQ (in pcs)	Unit Rate (₹)
Connector for	70 to 25 sq.mm	1000	525
	150 to 25 sq.mm		875
Main	Tap		
DOG	RACCOON		438

Ampact Paddle Connectors*

Description	MOQ (in pcs)	Unit Rate (₹)
Paddle_001_610_2	200	875
Paddle_002_1400_2		1750
Paddle_003_895_4		1400
Paddle_004_1400_4		2275
Paddle_005_1500_4		2800

Bottle Palm Connectors

Description	MOQ (in pcs)	Unit Rate (₹)
Palm Connector D50	200	2750
Palm Connector D38		2790
Palm Connector D30		2790
Palm Connector D22		2725
Palm Connector D40		2800

*Note : Paddle are supplied without holes contact RRL's representative for combination connectors.

Trafo Connector

4 Way Trafo Connector

Sr. No.	Product Reference	Stud Size	MOQ (in pcs)	Unit Rate (₹)
1	4x500 - Trafo connector	M42 x 3.0	10	74750
2	4x400 - Trafo connector	M42 x 3.0		71200
3	4x400 - Trafo connector	M30 x 2.0		71200
4	4x300 - Trafo connector	M42 x 3.0		71200
5	4x120/300 - Trafo connector	M30 x 2.0		71200
6	4x120/630 - Trafo connector	M30 x 2.0		71200

3 Way Trafo Connector

Sr. No.	Product Reference	Stud Size	MOQ (in pcs)	Unit Rate (₹)
1	3x630 - Trafo connector (Vertical Design)	M42 x 3.0	10	68500
2	3x630 - Trafo connector (Horizontal Design)	M42 x 3.0		68500
3	3x400 - Trafo connector	M42 x 3.0		55400
4	3x400 - Trafo connector	M30 x 2.0		55400
5	3x300 - Trafo connector	M42 x 3.0		55400
6	3x120/300 - Trafo connector	M30 x 2.0		55400

2 Way Trafo Connector

Sr. No.	Product Reference	Stud Size	MOQ (in pcs)	Unit Rate (₹)
1	2x630 - Trafo connector	M30 x 2.0	10	51000
2	2x400 - Trafo connector	M30 x 2.0		49500
3	2x400 - Trafo connector	M20 x 2.5		49500
4	2x120/300 - Trafo connector	M30 x 2.0		47600
5	2x120/300 - Trafo connector	M20 x 2.5		47600
6	2x120/300 - Trafo connector (Vertical Design)	M30 x 2.0		47600
7	2x95/240 - Trafo connector	M30 x 2.0		45400
8	2x95/240 - Trafo connector	M20 x 2.5		45400
9	2x400 - Trafo connector	M25 x 2.0		49500
10	2x240/630 - Trafo connector	M20 x 2.5		51000

1 Way Trafo Connector

Sr. No.	Product Reference	Stud Size	MOQ (in pcs)	Unit Rate (₹)
1	1x400 - Trafo connector	M20 x 2.5	10	32500
2	1x120/300 - Trafo connector	M20 x 2.5		26400
3	1x50/95 - Trafo connector	M12 x 1.5		16800

PALM Type Trafo Connector

Sr. No.	Product Reference	Availability	MOQ (in pcs)	Unit Rate (₹)
1	3x300 - Trafo connector	Mfg. Dwg.	10	28500
2	4x300 - Trafo connector	Customer dwg.		32600
3	6x300 - Trafo connector	Customer dwg.		58550
4	8x300 - Trafo connector	Customer dwg.		62500
5	12x300 - Trafo connector	Mfg. Dwg.		65400

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

SURGE ARRESTERS

Distribution Class

System Voltage	Rating	LD Class	Model	MOQ (in pcs)	Unit Rate (₹)
11kV	9kV, 5kA	75A, 1000 μ Sec	PSO - 0905	300	1343
	9kV, 5kA	150A, 1000 μ Sec	DA0 - 09A		1715
	10kV, 5kA	200A, 2000 μ Sec	DA0 - 200 - 10A (Silicone housing)		3092
	10kV, 5kA	200A, 2000 μ Sec	NDA - 08S (EVA housing)		3664
22kV	18kV, 5kA	150A, 1000 μ Sec	DA0-18D		2995

Bracket & Disconnectors

Description	System Voltage	MOQ (in pcs)	Unit Rate (₹)
Insulated straight bracket for 5kA SA	Up to 11 kV	100	143
Disconnector for 5 kA SA	Up to 22 kV		228
	11kV		427
Insulated shaded bracket for 5kA/10kA SA	22 kV		569
	33kV		797
Insulated shaded bracket with integrated disconnector for 5kA/10kA SA	11kV		803
	22 kV		913
	33kV		1222

Indoor Arresters

System Voltage	Rating	LD Class	Model	MOQ (in pcs)	Unit Rate (₹)
3.3 kV	3kV, 10kA	Class - 1	PSI - 0310	100	4959
	4kV, 10kA	Class - 1	DA1 - 04A - IND		3922
	3kV, 10kA	Class - 2	MCPA2 - 03 (2.2 PU)		6684
6.6 kV	6kV, 10kA	Class - 1	PSI - 0610		5480
	6kV, 10kA	Class - 1	DA1 - 06A - IND		4035
	7.2kV, 10kA	Class - 1	DA1 - 7.2A - IND		4301
	6kV, 10kA	Class - 2	MCPA2 - 06 (2.2 PU)		7266
	7.2kV, 10kA	Class - 2	MCPA2 - 7.2 (2.2 PU)		7792
11 kV	9kV, 10kA	Class - 1	PSI - 0910		6406
	10kV, 10kA	Class - 1	DA1 - 10A - IND		4984
	9kV, 10kA	Class - 2	MCPA2 - 09 (2.2 PU)		8197
	12kV, 10kA	Class - 1	PSI - 1210		6826
	12kV, 10kA	Class - 1	DA1 - 12A - IND		5143
	12kV, 10kA	Class - 2	MCPA2 - 12 (2.2 PU)		9053
	15kV, 10kA	Class - 1	PSI - 1510		9650
	15kV, 10kA	Class - 1	DA1 - 15B - IND		8223
	15kV, 10kA	Class - 2	MCPA2 - 15 (2.2 PU)		11208

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

SURGE ARRESTERS

Station Class

System Voltage	Rating	LD Class	Model	MOQ (in pcs)	Unit Rate (₹)
11 kV	10kV, 10kA	Class - 1	DA1 - 10A	300	4886
	10kV, 10kA	Class - 2	OCP2 - 08S		7079
	9kV, 10kA	Class - 3	PCA - I - 009	50	29620
22 kV	18kV, 10kA	Class - 1	DA1 - 18D	100	6844
	18kV, 10kA	Class - 2	OCP2 - 15L		10618
33kV	30kV, 10kA	Class - 1	DA1 - 30G	50	10242
	36kV, 10kA	Class - 1	DA1 - 36G		10607
	30kV, 10kA	Class - 2	OCP2 - 24L, CD 885 mm		14230
	30kV, 10kA	Class - 2	OCP2 - 24M CD 970 mm		15279
	30kV, 10kA	Class - 3	PCA - I - 130		47136
	36kV, 10kA	Class - 2	OCP2 - 29M, CD 970 mm		16335
	36kV, 10kA	Class - 3	PCA - I - 136		51756
	38.75 kV, 10kA	Class - 2	OCP2 - 31M, CD 970 mm		17152
	38.75 kV, 10kA	Class - 2	OCP2 - 31ML, CD 1125 mm		18480
	40kV, 10kA	Class - 2	OCP2 - 32M, CD 970 mm		17697
	42kV, 10kA	Class - 2	OCP2 - 34M, CD 1125 mm		19118
	45kV, 10kA	Class - 2	OCP2 - 36M, CD 1125 mm		19602
	60kV, 10kA	Class - 2	PAA11 - 60		35892
	60kV, 10kA	Class - 3	PCA - I - 260		61600
	96kV, 10kA	Class - 2	PAA333 - 96		54780
66kV	96kV, 10kA	Class - 3	PCA - I - 2L2L - 96	12	120916
110kV	120kV, 10kA	Class - 2	PAA333 - 120		58867
132kV	120kV, 10kA	Class - 3	PCA - I - 2L2L120		134380
220kV	198kV, 10kA	Class - 3	PCA - I - 2L2L2L1198		239505
	216kV, 10kA	Class - 3	PCA - I - 2L2L2L1216		244116

Surge Counter / Monitor

Description	MOQ (in pcs)	Unit Rate (₹)
SC12 Surge Counter	25	15553
SC12/AC Surge Counter with auxillary contact		16531
SC13 Surge Counter with Leakage current Indicator		25657
SC13/AC Surge Counter with Leakage current Indicator and with auxillary contact		27111

INSULATORS

Type	System Voltage	SML /SCL	End fitting Description	MOQ (in pcs)	Unit Rate (₹)
Pin Insulator	11 kV	5 kN SCL	Pin Top & Bottom with 100 mm M16 stud	500	1169
	33 kV	10 kN SCL	Pin Top & Bottom with 100 mm M24 stud		3119
Tension / Suspension	11 kV	45 kN	Tongue & Clevis		832
	11 kV	45 kN	Ball & Socket		1040
	11kV	45 kN	Dead End & Clevis		1169
	11kV	70kN	Ball & Socket		1144
	11kV	70kN	Tongue & Clevis		1144
	33kV	45kN	Tongue & Clevis		1690
	33kV	70kN	Tongue & Clevis		1949
	33kV	70kN	Ball & Socket		2079
	33kV	90kN	Ball & Socket		4678

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

SAFETY

ARC SUIT

Product Code/ Kit No.	Product Description	Hazards Category	ATPV Value in Cal/Cm2	MOQ (in pcs)	Unit Rate (₹)
ES - AFS-CA - 9 - M	Arc Suit in coverall design - M (without arc face shield)	HRC 2	9	2	31033
ES - AFS-CA - 12 - M	Arc Suit in coverall design - M (without arc face shield)	HRC 2	12	2	34200
ES - AFS - JBH - 25 - F	Arc Suit in Jacket + Pant + Hood design Free size	HRC 3	25	1	162133
ES - AFS - JBH - 31.2 - F	Arc Suit in Jacket + Pant + Hood design Free Size	HRC 3	31.2	1	182133
ES - AFS - JBH - 40	Arc Suit in Jacket + Bib + Hood design Free Size	HRC 4	40	1	202667
ES - AS - KIT - 12	Arc Face Shield kit With Chin cup	HRC 2	12	12	40000

Electrical Insulation Gloves

Product Description	MOQ (pairs)	Unit Rate (₹)
Kamfet-class-00, Electrical Insulated Hand gloves, Proof Voltage 2500v, Working Voltage 500v, As Per IEC 60903-2014, Red Colour, Size 8,9,10,11 / Length 360mm.	100	5800
Kamfet-class-0, Electrical Insulated Hand gloves, Proof Voltage 5000v, Working Voltage 1000v, As Per IEC 60903-2014, Red Colour, Size 8,9,10,11 / Length 360mm.	100	7250
Kamfet-class-1, Electrical Insulated Hand gloves, Proof Voltage 10000v, Working Voltage 7500v, As Per IEC 60903-201, Red Colour, Size 8,9,10,11 / Length 360mm.	100	12100
Kamfet-class-2, Electrical Insulated Hand gloves, Proof Voltage 20000v, Working Voltage 17000v, As Per IEC 60903-2014, Red Colour, Size 8,9,10,11 / Length 360mm.	100	12400
Kamfet-class-3, Electrical Insulated Hand gloves, Proof Voltage 30000v, Working Voltage 26500v, As Per IEC 60903-2014, Red Colour, Size 8,9,10,11 / Length 360mm.	50	13750
Kamfet-class-4, Electrical Insulated Hand gloves, Proof Voltage 40000v, Working Voltage 36000v, As Per IEC 60903-2014, Red Colour, Size 8,9,10,11 / Length 360mm.	50	21050
Kamfet-class-00 & 0, Leather Over glove, Size 8,9,10,11	50	1667
Kamfet-class-1 & 2, Leather Over glove Size 8,9,10,11	50	2083
Kamfet-class-3 & 4, Leather Over glove Size 8,9,10,11	50	2300
Cotton Inner Glove, Size 8,9,10,11	50	300

- The prices are Ex-Works
- All taxes including GST, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

SAFETY

Insulation Rubber Mats

Product Code/Kit No.	Product Description	MOQ (Roll)	Unit Rate (₹)
ES0FIX - 1X10	Kamfet - Insulated Electrical Mat Class 0-PV Tested Upto 5 KV, 2.2mm thickness, 1 mtr * 10 Mtr, Color Black/Grey with Fabric Print as per IEC 61111	1	32957
ES1FIX - 1X10	Kamfet - Insulated Electrical Mat Class 1-PV Tested Upto 10 KV, 2.2mm thickness, 1 mtr * 10 Mtr,Color Black/Grey with Fabric print as per IEC 61111	1	32957
ES2FIX - 1X10	Kamfet - Insulated Electrical Matting Class 2-PV Tested Upto 20 KV, 2.6mm thickness, 1mtr * 10 Mtr, Color Black/Grey with Fabric print as per IEC 61111	1	38953
ES3FIX - 1X10	Kamfet - Insulated Electrical Matting Class 3-PV Tested Upto 30 KV, 3.2mm thickness, 1mtr * 10 Mtr, Color Black/Grey with Fabric print as per IEC 61111	1	47937
ES4FIX - 1X10	Kamfet - Insulated Electrical Matting Class 4-PV Tested Upto 40 KV, 5.2mm thickness, 1mtr*10 Mtr, Color Black/Grey with Fabric print as per IEC 61111	1	77900

X indicates colour of Mat, Kindly replace X with G for Dark Grey and B for Black colour while ordering

Electrical Safety Helmet

Product Code	Description	Range	Unit Rate (₹)
AAA1048030	ELECSAFE HELMET WITH SENSOR – WHITE	RANGE 1 (11KV-66KV)	5000
ALA1000062	ELECSAFE HELMET WITH SENSOR – YELLOW – RANGE 1 (11KV-33KV)	Range 1	5000
AAA1048285	ELECSAFE HELMET WITH SENSOR – WHITE – RANGE 2 (66KV-110KV)	Range 2	5500
AAA1048286	ELECSAFE HELMET WITH SENSOR – WHITE – RANGE 3 (132KV-220KV)	Range 3	6000
AAA1048289	Elecsafe Helmet with Sensor Accessory – LEDTorch	-	2000

Installations for Joints & Terminations

Cable Type	Description	Unit Rate (₹)
For 1.1kV XLPE up to 300 sq.mm. 400 to 1000 sq.mm.	Straight Through & Branch Joints / Terminations	1,000 1,800
For 11kV XLPE up to 300 sq.mm. 400 to 1000 sq.mm.	Termination (ID / OD) RSTI	2,500 (ID / OD) 5,000 (RSTI) 2,800 (ID / OD)
For 11kV up to 300 sq.mm. 400 to 1000 sq.mm.	Straight Through Joints	2,800 3,200
For 22kV / 33kV XLPE up to 300 sq.mm. 400 to 1000 sq.mm.	Indoor / Outdoor Terminations GIS (Set of 3) / RSTI	4,000 7,500
For 22kV / 33kV up to 300 sq.mm. 400 to 1000 sq.mm.	Straight Through Joints	5,000 6,000
For 66kV upto 220 kV XLPE	(66kV) - Joint / Termination / GIS 3 Core Joint (132kV) – Joint / Termination / GIS (220kV) - Joint / Termination / GIS	10,000 / 10,000 / 20,000 25,000 50,000 / 45,000 / 55,000 80,000 / 75,000 / 1,00,000



- All quoted prices are basic prices
- GST extra as applicable. The prevailing rate is @ 18%
- RRL shall need 5-7 days (up to 33kV) & 2 weeks (66kV and above) prior notice for arranging the jointer
- Idle / cancellation charges shall be Rs. 5000/- per day per jointer
- Above prices are applicable for INDIA Only
- Above price list is for reference purpose. However, any big specific requirements will need discussion

TERMS AND CONDITIONS

- Jointing Kits & Consumables:** All Raychem RPG make 1.1kV upto 66kV Jointing & Termination Kits, labour required for handling cable/digging etc. and / or other site work will be provided by the client on site.
- Payment Terms:** 100% Payment Advance against Proforma Invoice
- Tools & Tackles:** Client shall provide gas cylinder & hydraulic tool, balance all tools & tackles shall be provided by Raychem RPG
- Travel Expenses & Boarding:** Travel, boarding & lodging expenses at site shall be borne by client, at actuals
- Warranty Period:** Kits installed by Raychem Jointers shall have warranty of 12 months from the date of installation. The warranty is limited to quality & workmanship, as per Raychem RPG practices.

Client's Obligations:

- Client on his own account shall provide and take care of the following:**
- Undertake overall co-ordination and management for the project.
 - Arrange for onsite facilities prior to the arrival of Raychem RPG technician
 - Tents, LPG, local helpers, waste cloth, etc. & special type of AC chambers for 132kV and above
 - All necessary civil Work
 - Supply & mounting of all steel structures such as supports for termination & cable trays
 - Rain & sun protection for erection of outdoor terminations and joints
 - Enclosure and necessary scaffolding for erection of terminations
 - Cables to be laid up to termination end and properly installed in place marked by cleats or other means
 - Lifting facilities such as cranes, etc.
 - Fire protection and site communication
 - Arranging local transport for Raychem RPG technician, cable drums & equipment
 - Obtaining necessary permissions from local authorities, if required
 - Testing & Commissioning shall NOT be in scope of Raychem RPG

For GIS / Transformer Terminations

- Dismantling the switchgear casing for cable termination to enable mounting of GIS Cable terminations
- Filling of SF6 gas in switchgear
- Complete responsibility of working on SF6 gas switchgear by client / SF6 switchgear manufacturer
- DC Test Set for Transformer/GIS for each phase will be provided by client

For more information: write to energy@raychemrpg.com

Raychem RPG

For details, connect with one of our offices, closest to your location.

CORPORATE SALES & MARKETING

Raychem RPG (P) Ltd.

A-702, Thane One Corporate Park, DIL Complex, Kapurbawdi, Ghodbander Road, Thane (W) - 400610
Tel: +91-22-61847300

REGIONAL SALES

Thane: +91-22-61847301 | Kolkata: +91-33-40044082 | Noida: +91-84477 00030 |
Bengaluru: +91-80-46676900 | Chennai: +91-44-65718441

✉ : energy@raychemrpg.com